

## Gleichungen

$$y = m \cdot x + b$$

$$x^2 = y^2 + z^2$$

$$E = m \cdot c^2$$

$$y = m \cdot x + b$$

$$x^2 = y^2 + z^2$$

$$E = m \cdot c^2$$

$$y = m \cdot x + b$$

$$x^2 = y^2 + z^2$$

$$E = m \cdot c^2$$

$$y = m \cdot x + b$$

$$x^2 = y^2 + z^2$$

$$E = m \cdot c^2$$

$$3w = \frac{1}{2}z$$

$$3x + 9y = -12$$

$$e^{\pi i} + 1 = 0$$

$$3w = \frac{1}{2}z$$

$$3x + 9y = -12$$

$$e^{\pi i} + 1 = 0$$

$$3w = \frac{1}{2}z$$

$$3x + 9y = -12$$

$$\prod_{i=1}^n e^{\pi i} + 1 = 0$$

$$3w = \frac{1}{2}z$$

$$3x + 9y = -12$$

$$e^{\pi i} + 1 = 0$$

$$p(x) = 3x^6 + 14x^5y + 590x^4y^2 + 19x^3y^3 - 12x^2y^4 - 12xy^5 + 2y^6 - a^3b^3$$

$$p(x) = 3x^6 + 14x^5y + 590x^4y^2 + 19x^3y^3 - 12x^2y^4 - 12xy^5 + 2y^6 - a^3b^3$$

$$p(x) = 3x^6 + 14x^5y + 590x^4y^2 + 19x^3y^3 - 12x^2y^4 - 12xy^5 + 2y^6 - a^3b^3$$

$$p(x) = 3x^6 + 14x^5y + 590x^4y^2 + 19x^3y^3 - 12x^2y^4 - 12xy^5 + 2y^6 - a^3b^3$$

$$\sum_{i=1}^{\infty} \frac{1}{n^s} = \prod_p \frac{1}{1-p^{-s}}$$

$$(a^n)^{r+s} = a^{nr+ns}$$

$$A = \frac{\pi r^2}{2} = \frac{1}{2}\pi r^2$$

$$3x^2 + 9y = 3a + c$$

$$2x - 5y = 8$$

$$A = \frac{\pi r^2}{2} = \frac{1}{2}\pi r^2$$

$$3x^2 + 9y = 3a + c$$

$$2x - 5y = 8$$

$$A = \frac{\pi r^2}{2} = \frac{1}{2}\pi r^2$$

$$3x^2 + 9y = 3a + c$$

$$2x - 5y = 8$$

$$A = \frac{\pi r^2}{2} = \frac{1}{2}\pi r^2$$

$$3x^2 + 9y = 3a + c$$

$$2x - 5y = 8$$

## Matrices

$$\begin{vmatrix} 1 & 2 & 3 \\ a & b & c \end{vmatrix}$$

$$\begin{vmatrix} 1 & 2 & 3 \\ a & b & c \end{vmatrix}$$

$$\begin{vmatrix} 1 & 2 & 3 \\ a & b & c \end{vmatrix}$$

$$\begin{vmatrix} 1 & 2 & 3 \\ a & b & c \end{vmatrix}$$

$$\begin{Bmatrix} 1 & 2 & 3 \\ a & b & c \end{Bmatrix}$$

$$\begin{Bmatrix} 1 & 2 & 3 \\ a & b & c \end{Bmatrix}$$

$$\begin{Bmatrix} 1 & 2 & 3 \\ a & b & c \end{Bmatrix}$$

$$\begin{Bmatrix} 1 & 2 & 3 \\ a & b & c \end{Bmatrix}$$

$$\left\| \begin{array}{ccc} 1 & 2 & 3 \\ a & b & c \end{array} \right\|$$

$$\left\| \begin{array}{ccc} 1 & 2 & 3 \\ a & b & c \end{array} \right\|$$

$$\left\| \begin{array}{ccc} 1 & 2 & 3 \\ a & b & c \end{array} \right\|$$

$$\left\| \begin{array}{ccc} 1 & 2 & 3 \\ a & b & c \end{array} \right\|$$

$$\begin{bmatrix} 1 & 2 & 3 \\ a & b & c \end{bmatrix}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ a & b & c \end{bmatrix}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ a & b & c \end{bmatrix}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ a & b & c \end{bmatrix}$$

$$\begin{pmatrix} 1 & 2 & 3 \\ a & b & c \end{pmatrix}$$

$$\begin{pmatrix} 1 & 2 & 3 \\ a & b & c \end{pmatrix}$$

$$\begin{pmatrix} 1 & 2 & 3 \\ a & b & c \end{pmatrix}$$

$$\begin{pmatrix} 1 & 2 & 3 \\ a & b & c \end{pmatrix}$$

$$\begin{matrix} 1 & 2 & 3 \\ a & b & c \end{matrix}$$

$$\begin{matrix} 1 & 2 & 3 \\ a & b & c \end{matrix}$$

$$\begin{matrix} 1 & 2 & 3 \\ a & b & c \end{matrix}$$

$$\begin{matrix} 1 & 2 & 3 \\ a & b & c \end{matrix}$$

## Brackets and parentheses

$$\underbrace{a+c}_{n} + \underbrace{b+d}_{m}$$

$$\overbrace{a+c+b+d}^n$$

$$\overbrace{\underbrace{a+c}_{n} + \underbrace{b+d}_{m}}^n$$

$n \vee m$

$$\overbrace{\underbrace{a+c}_{n} + \underbrace{b+d}_{m}}^{n \vee m}$$

$$\overbrace{\underbrace{a+c+b+d}_{n} + \underbrace{b+d}_{m}}^{n \vee m}$$

$$\overbrace{\underbrace{a+c}_{n} + \underbrace{b+d}_{m}}^{n \vee m}$$

$$\overbrace{\underbrace{a+c}_{n} + \underbrace{b+d}_{m}}^{n \vee m}$$

$$(x+y)$$

$$\{x+y\}$$

$$\|x+y\|$$

$$|x+y|$$

$$[x+y]$$

$$\langle x+y \rangle$$

## Brüche und Binomiale

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

$$f(x) = \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \frac{1}{6}$$

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

$$f(x) = \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \frac{1}{6}$$

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

$$f(x) = \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \frac{1}{6}$$

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

$$f(x) = \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \frac{1}{5} + \frac{1}{6}$$

## Hochgestellte Zahlen und Indizes



$$a_1^2 + a_2^2 = a_3^2$$

$$\cap_{i=1}^n$$

$$\cup_{i=1}^n$$

$$\coprod_{i=1}^n$$

$$a_1^2 + a_2^2 = a_3^2$$

$$\cap_{i=1}^n$$

$$\cup_{i=1}^n$$

$$\coprod_{i=1}^n$$

$$\prod_{i=1}^n$$

$$a_1^2 + a_2^2 = a_3^2$$

$$\cap_{i=1}^n$$

$$\cup_{i=1}^n$$

$$\coprod_{i=1}^n$$

$$\prod_{i=1}^n$$

$$a_1^2 + a_2^2 = a_3^2$$

$$\cap_{i=1}^n$$

$$\cup_{i=1}^n$$

$$\coprod_{i=1}^n$$

$$\prod_{i=1}^n$$

$$\oint_{i=1}^n$$

$$\int_0^1 x^2 + y^2 \, dx$$

$$(a^n)^{r+s} = a^{nr+ns}$$

$$\oint_{i=1}^n$$

$$\int_0^1 x^2 + y^2 \, dx$$

$$(a^n)^{r+s} = a^{nr+ns}$$

$$\oint_{i=1}^n$$

$$\int_0^1 x^2 + y^2 \, dx$$

$$(a^n)^{r+s} = a^{nr+ns}$$

$$\oint_{i=1}^n$$

$$\int_0^1 x^2 + y^2 \, dx$$

$$\sum_{i=1}^{\infty} \frac{1}{n^s} = \prod_p \frac{1}{1-p^{-s}}$$

$$x^{2\alpha} - 1 = y_{ij} + y_{ij}$$

$$\sum_{i=1}^{\infty} \frac{1}{n^s} = \prod_p \frac{1}{1-p^{-s}}$$

$$x^{2\alpha} - 1 = y_{ij} + y_{ij}$$

$$\sum_{i=1}^{\infty} \frac{1}{n^s} = \prod_p \frac{1}{1-p^{-s}}$$

$$x^{2\alpha} - 1 = y_{ij} + y_{ij}$$

## Symbole

||2      $\alpha$    人     $\forall$    (    )     $\Sigma$    (    )     $\forall$     $\exists$    (    )     $\neg$   
||2      $\alpha$    人     $\forall$    (    )     $\Sigma$    (    )     $\forall$     $\exists$    (    )     $\neg$   
||2      $\alpha$    人     $\forall$    (    )     $\Sigma$    (    )     $\forall$     $\exists$    (    )     $\neg$

≤ ≤ ≪ ⊂ ⊆ ⊑ ∈ ⊢ ⊨ ≥ ≥ ≫ ⊃ ⊇ ⊒ ⊎ ⊓ ≠ ⊇ ≈  
≤ ≤ ≪ ⊂ ⊆ ⊑ ∈ ⊢ ⊨ ≥ ≥ ≫ ⊃ ⊇ ⊒ ⊎ ⊓ ≠ ⊇ ≈  
≤ ≤ ≪ ⊂ ⊆ ⊑ ∈ ⊢ ⊨ ≥ ≥ ≫ ⊃ ⊇ ⊒ ⊎ ⊓ ⊤ ≠ ⊇ ≈

$\vee \wedge \ll \cup \subseteq \sqsubset \sqsubseteq \in \top \top \sqsupseteq \sqsupseteq \gg \supset \supseteq \sqsupset \sqsupseteq$

Ã¢â€šâ€œ\clubsuitâ€šâ€œ\heartsuitâ€šâ€œ\spadesuitâ€šâ€œ\clubsuitâ€šâ€œ\heartsuitâ€šâ€œ\spadesuitâ€šâ€œ\clubsuitâ€šâ€œ\heartsuitâ€šâ€œ\spadesuitâ€šâ€œ\clubsuitâ€šâ€œ\heartsuitâ€šâ€œ\spadesuit

αβγδεεζηθθικλμνξ  
αβγδεεζηθθικλμνξ  
αβγδεεζηθθικλμνξ  
οπωρρσστυφφχψω  
οπωρρσστυφφχψω  
οπωρρσστυφφχψω  
ΓΔΘΛΞΠΣΥΦΨΩ  
ΓΔΘΛΞΠΣΥΦΨΩ  
ΓΔΘΛΞΠΣΥΦΨΩ  
ΓΔΘΛΞΠΣΥΦΨΩ

$\rightarrow \rightsquigarrow \leftarrow \rightarrow \leftarrow \rightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \uparrow \downarrow \updownarrow$

$\rightarrow \rightsquigarrow \leftarrow \rightarrow \leftarrow \rightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \uparrow \downarrow \updownarrow$

$\rightarrow \rightsquigarrow \leftarrow \rightarrow \leftarrow \rightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \uparrow \downarrow \updownarrow$

$\rightarrow \rightsquigarrow \leftarrow \rightarrow \leftarrow \rightarrow \leftarrow \Rightarrow \rightleftharpoons \rightleftharpoons \rightarrow \uparrow \downarrow \updownarrow$

$\leftarrow \leftarrow \rightarrow \rightarrow \leftrightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \leftarrow \leftarrow \leftarrow \leftarrow \rightleftharpoons \rightarrow$

$\leftarrow \leftarrow \rightarrow \rightarrow \leftrightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \leftarrow \leftarrow \leftarrow \leftarrow \rightleftharpoons \rightarrow$

$\leftarrow \leftarrow \rightarrow \rightarrow \leftrightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \leftarrow \leftarrow \leftarrow \leftarrow \rightleftharpoons \rightarrow$

$\leftarrow \leftarrow \rightarrow \rightarrow \leftrightarrow \leftarrow \Rightarrow \rightleftharpoons \rightarrow \leftarrow \leftarrow \leftarrow \leftarrow \rightleftharpoons \rightarrow$

## Mathematische Operatoren

$$S = \{z \in \mathbb{C} \mid |z| < 1\} \quad \text{and} \quad S_2 = \partial S$$

$$S = \{z \in \mathbb{C} \mid |z| < 1\} \quad \text{and} \quad S_2 = \partial S$$

$$S = \{z \in \mathbb{C} \mid |z| < 1\} \quad \text{and} \quad S_2 = \partial S$$

$$S = \{z \in \mathbb{C} \mid |z| < 1\} \quad \text{and} \quad S_2 = \partial S$$

$$\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$

$$\sin(a + b) = \sin(a) \cos(b) + \cos(a) \sin(b)$$

$$x \in M_R$$

$$\sin(a + b) = \sin(a) \cos(b) + \cos(a) \sin(b)$$

$$\sin(a + b) = \sin(a) \cos(b) + \cos(a) \sin(b)$$
















$$x \in M_R$$

$$\sin(a + b) = \sin(a) \cos(b) + \cos(a) \sin(b)$$

$$x \in M_R$$

## Chemische Formeln

$$x \in M_R$$



X=Y≡Z

A→B←C



X=Y≡Z

A→B←C



X=Y≡Z

A→B←C



X=Y≡Z

A→B←C